

CONTENTS

journal or publication title	The science reports of the Tohoku University. Second series, Geology
volume	26
year	1955-03-29
URL	http://hdl.handle.net/10097/00104552

CONTENTS

	page
I. Introduction	1
II. Acknowledgements	1
III. Historical Reveiw of the Geology of the Sendai Area	2

Part. I.

Stratigraphy of the Cenozoic Plant Beds in the Sendai Area

I. Geology of Sendai Area	7
(I) Foundation of the Tertiary	7
(II) The Tertiary Sediments	7
A. Natori Group	7
(1) Takadate Andesite	8
(2) Moniwa Formation	8
Flora of the Moniwa Formation in the Tsukinoki and Shiogama Area	9
(a) Tsukinoki Area	9
(b) Shiogama Area	13
(3) Hatatate Formation	14
(4) Tsunaki Formation	17
B. Akyu Group	17
(1) Yumoto Formation	17
(2) Shirasawa Formation	18
(a) Shirasaka-toge Shale and Baba Tuff	18
Flora of the Shirasawa Formation in the Akyu, Shimokura and Fukuoka Area	19
(b) Itaoroshi-toge Shale	21
Flora of the Shirasawa Formation in the Okubushi Area	21
C. Sendai Group	22
(A) Lower Sendai Group	23
(1) Mitaki Andesite	23
(2) Kameoka Formation	23
(3) Tatsunokuchi Formation	24
(B) Upper Sendai Group	27
(4) Kitayama Formation	27
(5) Hirosegawa Tuff	28
(6) Yagiyama Formation	28
(7) Dainenji Formation	30

(III) The Quaternary Sediments	31
(1) Aobayama Formation	31
Flora in the Enda Area	31
(2) Terrace	35
II. Floral Composition and Characteristics	35
(1) Tsukinoki Flora	36
(2) Shiogama Flora	38
(3) Nenoshiroishi Flora	40
(4) Sendai Flora	43
(5) Enda Flora	45
(A) Impressions	45
(B) Fossil Woods	46
(C) Pollen Analysis	46
(D) Fossil Diatoms	48
III. Paleoclimatology and Geological Age	48
(1) Tsukinoki Flora	48
(2) Shiogama Flora	49
(3) Nenoshiroishi Flora	49
(4) Sendai Flora	50
(5) Enda Flora	51
IV. Summary	53

Part. II.

Geology and Qualitative Characteristics of Lignite of Sendai Area

I. General	55
II. The Qualitative Characteristics of Lignite in Each Formation	55
(1) Lignite of the Tsukinoki Formation	55
(2) Lignite of the Shirasawa Formation	58
(3) Lignite of the Kameoka Formation	61
(4) Lignite of the Kitayama Formation	62
(5) Lignite of the Yagiyama Formation	64
(6) Lignite of the Dainenji Formation	64
III. Comparision of the Qualitaive Characteristics of Lignite in the Different Field	65
Literature of Part I and II	66

Part. III.

Description of Important and Characteristic Species.....	77
Gymnospermae	
Coniferae	
Taxodiaceae	
<i>Glyptostrobus europaeus</i> HEER	79
Angiospermae	
Dicotyledoneae-Archichlamydeae	
Myricaceae	
<i>Comptoniophyllum Naumannii</i> NATHORST	80
Juglandaceae	
<i>Pterocarya rhoifolia</i> SIEBOLD et ZUCCARINI	82
<i>Juglans cinerea</i> LINNAEUS	83
Betulaceae	
<i>Carpinus carpinoides</i> MAKINO	85
<i>Carpinus erosa</i> BLUME	86
<i>Carpinus laxiflora</i> BLUME	86
<i>Carpinus Tschonoskii</i> MAXIMOWICZ	87
<i>Betula Maximowicziana</i> REGEL	89
Fagaceae	
<i>Fagus crenata</i> BLUME	90
<i>Fagus palaeocrenata</i> OKUTSU n. sp.	92
Ulmaceae	
<i>Celtis occidentalis</i> LINNAEUS	94
Magnoliaceae	
<i>Liriodendron honsyuensis</i> ENDO	95
Lauraceae	
<i>Sassafras Oishii</i> OKUTSU	96
<i>Sassafras Yabei</i> ENDO et OKUTSU	97
Hamamelidaceae	
<i>Liquidambar formosana</i> HANCE	98
Rosaceae	
<i>Prunus Ssiori</i> SCHMIDT	100
Aquifoliaceae	
<i>Ilex cornuta</i> LINDLEY et PAXTON	101
Aceraceae	
<i>Acer pictum</i> THUNBERG	103
Sabiaceae	
<i>Meliosma myriantha</i> SIEBOLD et ZUCCARINI	105

Tiliaceae	
<i>Tilia distans</i> NATHORST	105
Theaceae	
<i>Stewartia pseudo-Camellia</i> MAXIMOWICZ	107
Hydrocaryaceae	
<i>Trapa natans</i> LINNAEUS var. <i>incisa</i> MAKINO	108
<i>Trapa natans</i> LINNAEUS var. <i>bispinosa</i> MAKINO	109
<i>Trapa natans</i> LINNAEUS var. <i>quadrispinosa</i> MAKINO	110
Araliaceae	
<i>Kalopanax ricinifolius</i> MIQUEL	110
Dicotyledoneae-Matachlamydeae	
Caprifoliaceae	
<i>Viburnum furcatum</i> BLUME	111
Reference of Part III	112